

Supplementary Online Content

Själänder S, Holmqvist F, Smith JG, et al. Assessment of use vs discontinuation of oral anticoagulation after pulmonary vein isolation in patients with atrial fibrillation. *JAMA Cardiol*. Published online November 23, 2016.

doi:10.1001/jamacardio.2016.4179

eTable. Definition of Concurrent Illnesses and Risk Factors by ICD and ATC Codes

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Definition of Concurrent Illnesses and Risk Factors by ICD and ATC Codes

Diagnosis	ICD-10/ATC code
Atrial fibrillation	I48.0, I48.1, I48.2, I48.9
Ischemic stroke	I63, I69.3
Hypertension	I10-15
Heart failure	I50, I11.0, I13.0, I13.2
Diabetes mellitus	E10-14
Vascular disease	I21-22, I25.2, I70-73
Intracranial bleeding	I60-62, I69.0, I69.1, I69.2
Gastric/duodenal bleeding	K25-28 (sub codes 0,2,4,6)
Anaemia	D50, D52-53, D55, D59-64, D51.0, D51.0, D51.3, D51.8, D51.9, D56.0, D56.1, D56.2, D56.8, D56.9, D57.0, D57.1, D57.2, D58.8, D58.9
Platelet/coagulation defect	D65-67, D68.0, D68.1, D69.1, D69.3, D69.4, D69.5, D69.6, D69.8, D69.9
Renal disease	N17-19 or code for renal transplantation or dialysis
Liver disease	K70-77 or code for liver transplantation or resection
Alcohol related hospital contact	E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, O35.4, P04.3, Q86.0, T51, Y90-91, Z50.2, Z71.4
Cancer	All C-codes
Pulmonary embolism	I26
COPD/emphysema	J43, J44

Antiplatelet agents	B01AC
Electrical cardioversion	DF010, DF026, DF027