Supplementary Online Content

Dobry AS, Ko LN, St John J, Sloan JM, Nigwekar S, Kroshinsky D. Association between hypercoagulable conditions and calciphylaxis in patients with renal disease: a case-control study. *JAMA Dermatol*. Published online December 13, 2017. doi:10.1001/jamadermatol.2017.4920

eTable. An inventory of calciphylaxis patients with combined thrombophilias. They are categorized by number of hypercoagulable conditions with a description of the co-occurring thrombophilias

This supplementary material has been provided by the authors to give readers additional information about their work.

© 2017 American Medical Association. All rights reserved.

eTable. An inventory of calciphylaxis patients with combined thrombophilias. They are categorized by number of hypercoagulable conditions with a description of the co-occurring thrombophilias

Two hypercoagulable conditions	n
Anti-cardiolipin antibodies & hyperhomocysteinemia	2
Anti-cardiolipin antibodies & lupus anticoagulant	2
Hyperhomocysteinemia & lupus anticoagulant	2
Antithrombin III deficiency & lupus anticoagulant	1
Hyperhomocysteinemia & heparin-PF4 antibodies	1
Protein C deficiency & protein S deficiency	1
Three hypercoagulable conditions	**n**
Antithrombin III deficiency, heparin-PF4 antibodies, & protein C deficiency	1
Antithrombin III deficiency, lupus anticoagulant, & protein C deficiency	1
Antithrombin III deficiency, protein C deficiency, & protein S deficiency	1
Four hypercoagulable conditions	**n**
Anti-cardiolipin antibodies, elevated factor 8, hyperhomocysteinemia, & lupus anticoagulant	1
Hyperhomocysteinemia, lupus anticoagulant, protein C deficiency, & protein S deficiency	1
Five hypercoagulable conditions	**n**
Anti-thrombin III deficiency, elevated factor 8, hyperhomocysteinemia, lupus anticoagulant, & protein S deficiency	1
Anti-thrombin III deficiency, elevated factor 8, lupus anticoagulant, protein C deficiency, & protein S deficiency	1
Elevated factor 8, hyperhomocysteinemia, lupus anticoagulant, protein C deficiency, & protein S deficiency	1
Six hypercoagulable conditions	**n**
Anti-cardiolipin antibodies, anti-thrombin III deficiency, hyperhomocysteinemia, lupus anticoagulant, protein C deficiency, & protein S deficiency	1

© 2017 American Medical Association. All rights reserved.