Supplementary Online Content

Neoptolemos JP, Stocken DD, Bassi C, et al. Adjuvant chemotherapy with fluorouracil plus folinic acid vs gemcitabine following pancreatic cancer resection: a randomized controlled trial. *JAMA*. 2010;304(10):1073-1081.

eFigure 1. Survival Figures According to Tumor Grade, Lymph Node Involvement, Tumor Stage, and Resection Margin Involvement by Tumor Cells (Based Only on Patients With Complete Data)

eFigure 2. Survival Figures According to Performance Status and Tobacco Smoking (Based Only on Patients With Complete Data)

eFigure 3. Hazard Ratios With Tests of Heterogeneity Within Pathological Subgroups (Size of Boxes Represents Numbers of Patients)

eFigure 4. Hazard Ratios With Tests of Heterogeneity Within Demographic Subgroups (Size of Boxes Represents Numbers of Patients)

eAPPENDIX. Specialists Also Contributing to the Treatment of Patients in the ESPAC-3 Trial

This supplementary material has been provided by the authors to give readers additional information about their work.

© 2010 American Medical Association. All rights reserved.

eFigure 1. Survival Figures According to Tumor Grade, Lymph Node Involvement, Tumor Stage, and Resection Margin Involvement by Tumor Cells (Based Only on Patients With Complete Data)

1A. Tumor Grade



© 2010 American Medical Association. All rights reserved.

1B. Lymph Node Involvement



© 2010 American Medical Association. All rights reserved.

1C. Tumor Stage



© 2010 American Medical Association. All rights reserved.

1D. Resection Margin Involvement by Tumor Cells



No. at Risk						
NEG	704	558	340	151	57	19
POS	384	270	160	61	21	9

© 2010 American Medical Association. All rights reserved.

eFigure 2. Survival Figures According to Performance Status and Tobacco Smoking (Based Only on Patients With Complete Data)

2A. Performance Status



© 2010 American Medical Association. All rights reserved.

2B. Tobacco Smoking



© 2010 American Medical Association. All rights reserved.

eFigure 3. Hazard Ratios With Tests of Heterogeneity Within Pathological Subgroups (Size of Boxes Represents Numbers of Patients)



© 2010 American Medical Association. All rights reserved.

eFigure 3 (Continued)



© 2010 American Medical Association. All rights reserved.

eFigure 4. Hazard Ratios With Tests of Heterogeneity Within Demographic Subgroups (Size of Boxes Represents Numbers of Patients)



© 2010 American Medical Association. All rights reserved.

eAPPENDIX. Specialists Also Contributing to the Treatment of Patients in the ESPAC-3 Trial

Australia: E. Abdi, M.D., (The Tweed Hospital, Queensland); S. Ackland, M.D., (Newcastle Mater Hospital, New South Wales); M. Brown, M.D., (Royal Adelaide Hospital, Adelaide); W. I. Burns, M.D., (St Vincent's Hospital, Victoria); I. Byard, M.D., (Launceston General Hospital, Tasmania); P. Cooray, M.D., (The Alfred Hospital, Victoria); M. Doreen, M.D., (Canberra Hospital, Canberra); R. Eek, M.D., (Liverpool Hospital, Sydney); V. Ganju, M.D., (Frankston Hospital, Victoria); D. Grimes, M.D., (Wesley Medical Centre, Auchenflaver); A. Haydon, M.D., (The Alfred Hospital, Victoria); C. Karapetis, M.D., (Flinders Medical Centre, Adelaide); P. Kho, M.D., (Liverpool Hospital, Sydney); F. Kirstan, M.D., (Bankstown-Lidcombe Hospital, New South Wales); B. Koczwara, M.D., (Flinders Medical Centre, Adelaide); D. Kotasek, M.D., (Ashford Cancer Centre, Adelaide); D. Leong, M.D., (Canberra Hospital, Canberra); L. Lipton, M.D., (Western Hospital, Footscray); G. Marx, M.D., (Sydney Haematology Oncology Centre, Sydney); S. A. Mclachlan, M.D., (St Vincent's Hospital, Victoria); E. Moylan, M.D., (Liverpool Hospital, Sydney); I. N. Olver, M.D., (Royal Adelaide Hospital , Adelaide); F. Parnis, M.D., (Ashford Cancer Centre, Adelaide); N. Paulakis, M.D., (Royal North Shore Hospital, New South Wales); D. Pook, M.D., (Frankston Hospital, Victoria); T. Price, M.D., (The Queen Elizabeth Hospital, South Australia); J. Shannon, M.D., (Nepean Hospital, New South Wales); J. Shapiro, M.D., (The Alfred Hospital, Victoria); N. Spry, M.D., (The University of Western Australia, Crawley); B Stein, M.D., (Ashford Cancer Centre, Adelaide); N. Tebbutt, M.D., (Austin Repatriation Medical Centre, Melbourne); C. Underhill, M.D., (Border Medical Oncology, Victoria); G. Van Hazel, M.D., (Sir Charles Gairdner Hospital, Western Australia); D. Wyld, M.D., (Royal Brisbane And Women's, Queensland); D. Yip, M.D., (Canberra Hospital, Canberra); R Young, M.D., (Royal Hobart Hospital, Tasmania).

Canada: T. Alcindor, M.D., (Royal Victoria Hospital, Quebec); H. J. Au, M.D., (Cross Cancer Institute, Edmonton); G. Batist, M.D., (Jewish General Hospital/McGill University, Montreal); E. Bergeron, M.D., (Charles Le Moyne Hospital, Quebec); S. Berry, M.D., (Toronto-Sunnybrook Regional Cancer Centre, Toronto); G. Bjarnason, M.D., (Toronto-Sunnybrook Regional Cancer Centre, Toronto); J. Blondal, M.D., (St Joseph'S Health Centre, Toronto); C. Butts, M.D., (Cross Cancer Institute, Edmonton); B.Chalmers, M.D., (Cross Cancer Institute, Edmonton); E. Chen, M.D., (Princess Margaret Hospital, Toronto); S. Cheng, M.D., (Toronto-Sunnybrook Regional Cancer Centre, Toronto); N. Chua, M.D., (Cross Cancer Institute, Edmonton); B. Colwell, M.D., (Nova Scotia Cancer Centre, Nova Scotia); C. Cripps, M.D., (Ottawa Regional Cancer Centre, Ottawa); P. Czaykowski, M.D., (Cancercare Manitoba, Winnipeg); B. Dingle, M.D., (London Regional Cancer Centre, London); M. Doreen, M.D., (Nova Scotia Cancer Centre, Nova Scotia); R. Feld, M.D., (Princess Margaret Hospital, Toronto); A. Fields, M.D.,

© 2010 American Medical Association. All rights reserved.

(Cross Cancer Institute, Edmonton); C. Fitzgerald, M.D., (Bcca Vancouver Island Centre, Victoria); A. Halpage, M.D., (London Regional Cancer Centre, London); A. Haq, M.D., (Ottawa Regional Cancer Centre, Ottawa); D. Hedley, M.D., (Princess Margaret Hospital, Toronto); D. Jonker, M.D., (Ottawa Regional Cancer Centre, Ottawa); P. Kavan, M.D., (Royal Victoria Hospital, Quebec); I. Kerr, M.D., (London Regional Cancer Centre, London); K. King, M.D., (Cross Cancer Institute, Edmonton); J. Knox, M.D., (Princess Margaret Hospital, Toronto); Y. Ko, M.D., (Toronto-Sunnybrook Regional Cancer Centre, Toronto); S. Koski, M.D., (Cross Cancer Institute, Edmonton); M. Krahn, M.D., (Cancercare Manitoba, Winnipeg); M. Krzyzanowska, M.D., (Princess Margaret Hospital, Toronto); W. Lofters, M.D., (Kingston Regional Cancer Centre, Kingston); M. Maclellan, M.D., (McGill University, Montreal); A. Maksymiuk, M.D., (Cancercare Manitoba, Winnipeg); J. Maroun, M.D., (Ottawa Regional Cancer Centre, Ottawa); C. O'Callaghan, Ph.D., (NCIC Clinical Trials Group, Kingston); A. Oza, M.D., (Princess Margaret Hospital, Toronto); S. Rao, M.D., (Bcca Vancouver Island Centre, Victoria); D. Rayson, M.D., (Nova Scotia Cancer Centre, Nova Scotia); A. Saltman, M.D., (Bcca Centre For The Southern Interior, Kelowna); B. Samson, M.D., (Charles Le Moyne Hospital, Quebec); M. Sanatani, M.D., (London Regional Cancer Centre, London); A. Scarfe, M.D., (Cross Cancer Institute, Edmonton); S. Singh, M.D., (Toronto-Sunnybrook Regional Cancer Centre, Toronto); L. Siu, M.D., (Princess Margaret Hospital, Toronto); A. Tomiak, M.D., (Kingston Regional Cancer Centre, Kingston); C. Tournigard, M.D., (Charles Le Moyne Hospital, Quebec); K. Virik, M.D., (Nova Scotia Cancer Centrem, Nova Scotia); B. Weinerman, M.D., (Bcca Vancouver Island Centre, Victoria); M. Wexler, M.D., (Mcgill University, Montreal); R. Wong, M.D., (Cancercare Manitoba, Winnipeg); L. Wood, M.D., (Nova Scotia Cancer Centre, Nova Scotia).

Czech Republic: M. Ryska, M.D., (IKEM, Prague); R. Strnad, M.D., (IKEM, Prague).

Finland: I. Nordback, M.D., (Tampere University Hospital, Tampere); T. Salminen, M.D., (Tampere University Hospital, Tampere); J. Sand, M.D., (Tampere University Hospital, Tampere).

France: on behalf of the Fédération Française de Recherche en Chirurgie (FRENCH)**;** A. Champault, M.D., (Jean Verdier, Bondy); P. R. Chiche, M.D., (Chu Cote De Nacre, Caen); B. Derousseaux, M.D., (Hopital St Philibert, Lomme); C. Dilin, M.D., (Hopital Georges Pianta , Thonon les Bains); B. Dousset, M.D., (Hopital Cochin, Paris); A. Elhadad, M.D., (Hopital Robert Ballanger, Aulnay sous Bois); A. Fingerhut, M.D., (Poissy); Y. Flamant, M.D., (Hopital Louis Mourier,

© 2010 American Medical Association. All rights reserved.

Colombes); F. Lacaine, M.D., (Paris); M. Hebbar, M.D., (Hopital Claude Huriez, Lille); O. Oberlin, M.D., (Chi Villeneuve St Georges, Paris); V. Pannegeon, M.D., (Hopital Rene Dubos, Pontoise); J.M. Regimbeau, M.D., (Hopital Nord, Amiens); D. Rio, M.D., (Centre Hospitalier Bretagne Atlantique, Vannes); B. Sastre, M.D., (Marseille); M.S. Sbai-Idriasy, M.D., (Hopital Simone Veil, Eaubonne).

Germany: W.E. Aulitzky, M.D., (Stuttgart); A. Chromik, M.D., (Bochum); I. Esposito, M.D., (Heidelberg/Munich); A. Frilling, M.D., (Essen); P. Frühmorgen, M.D., (Ludwigsburg); G. Heidecke, M.D., (Greifswald); P. Herzog, M.D., (Wilhelmshaven); D.K. Hossfeld, M.D., (Hamburg); R. Klapdor, M.D., (Hamburg); J. Kleeff, M.D., (Heidelberg/Munich); G. Leder, M.D., (Ulm); F. Lordick, M.D., (Munich); J. Mayerle, M.D., (Greifswald); J. Moessner, M.D., (Leipzig); B. Rau, M.D., (Homburg/Saar); K. Schoppmeyer, M.D., (Leipzig); W. Uhl, M.D., (Bochum); J. Werner, M.D., (Heidelberg).

Greece: C. Avgerinos, M.D., (Athens); E. Chatzitheoklitos, M.D., (Thessaloniki); A. Katsourakis, M.D., (Thessaloniki); D. Kelgiorgi, M.D., (Athens).

Hungary: D. Kelemen, M.D., (Pécs); A. Pap, M.D., (Budapest).

Ireland: L. Grogan, M.D., (Dublin); K. O'Byrne, M.D., (Dublin).

Italy: S Pedrazzoli, M.D., (Padova)

Japan: T. Asano, M.D., (Tokyo); A. Funakoshi, M.D., (Fukuoka); T. Hatori, M.D., (Tokyo); S. Nakamori, M.D., (Osaka); M. Sunamura, M.D., (Tohoku); K. Takasaki, M.D., (Tokyo); K. Yamaguchi, M.D., (Kyushu).

New Zealand: P. Bagshaw, M.D., (Christchurch); D. Gibbs, M.D., (Christchurch); S. Connor, M.D., (Christchurch); M. Jeffrey, M.D., (Christchurch); B. Robinson, M.D., (Christchurch).

© 2010 American Medical Association. All rights reserved.

Poland: W. Polkowski, M.D., (Lublin).

Serbia: M. Milicevic, M.D., (Belgrade); L. Petronijevic, M.D., (Belgrade); D. Radenkovic, M.D., (Belgrade).

Sweden: A Almerud, M.D., (Stockholm); A. Andren-Sandberg, M.D., (Lund); A. Berglund, M.D., (Uppsala); C. Bratthall, M.D., (Linköping); M Braendengew, M.D., (Stockholm); T Fokstuen, M.D., (Stockholm); B. Glimelius, M.D., (Uppsala); M.G. Johansson, M.D., (Gothenburg); B.M. Karlsson, M.D., (Uppsala); L. Karmon, M.D., (Uppsala); P. Naredi, M.D., (Umeå); G. Naucler, M.D., (Stockholm); P. Nygren, M.D., (Uppsala); L Pattersson, M.D., (Stockholm); J. Permert, M.D., (Stockholm); L.B. Rasmussen, M.D., (Uppsala); E. Rossman, M.D., (Stockholm); H. Starkhammar, M.D., (Linkoping); A. Thune, M.D., (Gothenburg); R. Segersvärd, M.D., (Stockholm).

Switzerland: M. Borner, M.D., (Bern); B. Gloor, M.D., (Bern)

United Kingdom: F. Adab, M.D., (North Staffordshire); D.J. Adamson, M.D., (Dundee); A. Anthoney, M.D., (Leeds); C. Archer, M.D., (Portsmouth); C. Askill, M.D., (Swansea); C. A. Baughan, M.D., (Southampton); S. Bramhall, M.D., (Birmingham); J Bridgewater, M.D., (Middlesex); R Carter, M.D., (Glasgow); F Campbell, M.D., (Liverpool); R Charnley, M.D., (Newcastle); I Chau, M.D., (Surrey); MJ Churn, M.D., (Wolverhampton); PI Clark, M.D., (Clatterbridge); P Corrie, M.D., (Cambridge); F Coxon, M.D., (Newcastle); T Crosby, M.D., (Cardiff); F Daniel, M.D., (Plymouth); BR Davidson, M.D., (London); J Dent, M.D., (Huddersfield); M Eatock, M.D., (Belfast); TRJ Evans, M.D., (Sheffield); S Falk, M.D., (Bristol); D Ferry, M.D., (Wolverhampton); D Furniss, M.D., (Sheffield); D Fyfe, M.D., (Nottingham); S Gollins, M.D., (Denbighshire); P Harper, M.D., (London); MN Hartley, M.D., (Liverpool); AB Hassan, M.D., (Bristol); R Hawkins, M.D., (Manchester); D Haylock, M.D., (Clatterbridge); M Highley, M.D., (Dundee); M Hill, M.D., (Maidstone); CW Imrie, M.D., (Glasgow); T Iveson, M.D., (Southampton); A Jamil, M.D., (North Staffordshire); C Johnson, M.D., (Birmingham); P Johnson, M.D., (Birmingham); A Kingsnorth, M.D., (Leicester); R Kulkarni, M.D., (Derby); JA Ledermann, M.D., (Middlesex); PC Leonard, M.D., (Southend); F Lofts, M.D., (London); S Madhusudan, M.D., (Nottingham); U

© 2010 American Medical Association. All rights reserved.

Mallick, M.D., (Sunderland); A Maraveyas, M.D., (Hull); E Marshall, M.D., (Liverpool); TS Maughan, M.D., (Cardiff); K Mcadam, M.D., (Peterborough); A Mcdonald, M.D., (Glasgow); T Meyer, M.D., (London); M Middleton, M.D., (Oxford); G Middleton, M.D., (Surrey); S Mukherjee, M.D., (Cardiff); P Mulvenna, M.D., (Northumbria); M Napier, M.D., (Devon); BT Orr, M.D., (Sheffield); R Osborne, M.D., (Poole); MJ Ostrowski, M.D., (Norwich); S Pascoe, M.D., (Plymouth); T Plunkett, M.D., (London); D Propper, M.D., (London); P Ross, M.D., (London); M Seymour, M.D., (Leeds); A Shaukat, M.D., (Glasgow); , M.D., S Sothi, M.D., (Coventry); D Spooner, M.D., (Birmingham); W Steward, M.D., (Leicester); R Sutton, M.D., (Liverpool); S Tahir, M.D., (Chelmsford); AR Todd, M.D., (Sunderland); E Toy, M.D., (Exeter); G Ullenhag, M.D., (Nottingham); C Verbeke, M.D., (Leeds); N Wadd, M.D., (Middlesbrough); J Wadsley, M.D., (Sheffield); L Wall, M.D., (Edinburgh); N Warner, M.D., (Oxford); H Wasan, M.D., (London); J Waters, M.D., (Maidstone) and C Wilson, M.D., (Cambridge).

© 2010 American Medical Association. All rights reserved.