

Supplementary Online Content

Teo K, Lear S, Islam S, et al; on behalf of the PURE Investigators. Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-, middle- and low-income countries: the Prospective Urban Rural Epidemiology (PURE) study. *JAMA*. doi:10.1001/jama.2013.3519

eTable. Prevalence of never, current, and former smoking and smoking cessation among individuals with CHD or stroke

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Prevalence* of never, current, and former smoking and smoking cessation among individuals with CHD or stroke.

	Never Smokers			Current Smokers			Former Smokers			Smoking Cessation rates		
	Overall	Women	Men	Overall	Women	Men	Overall	Women	Men	Overall	Women	Men
	n (%) 95% CI	n (%) 95% CI	n(%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI	n (%) 95% CI
Participants	4571(61.1; 60.0-62.2)	3293(82.5; 81.3-83.7)	1278 (36.6; 35.0-38.2)	1382(18.5; 17.6-19.4)	343(8.6; 7.7-9.5)	1039(29.8; 28.3-31.3)	1526(20.4; 19.5-21.3)	355 (8.9; 8.0-9.8)	1171(33.6; 32.0-35.1)	1526(52.5; 50.7-54.3)	355(50.9; 47.2-54.6)	1171(53.0; 50.9-55.1)
Location												
Urban	2716(60.0; 58.6-61.4)	1902 (81.4; 79.8-83.0)	814 (37.2; 35.1-39.2)	772 (17.1; 16.0-18.2)	188 (8.0; 6.9-9.2)	584 (26.7; 24.8-28.5)	1038 (22.9; 21.7-24.2)	246(10.5; 9.3-11.8)	792 (36.2; 34.2-38.2)	1038(57.3; 55.1-59.6)	246(56.7; 52.0-61.3)	792(57.6; 54.9-60.2)
Rural	1855 (62.8; 61.1-64.6)	1391(84.0; 82.3-85.8)	464 (35.7; 33.1-38.4)	610 (20.7; 19.2-22.1)	155 (9.4; 8.0-10.8)	455 (35.1; 32.5-37.6)	488 (16.5; 15.2-17.6)	109 (6.6; 5.4-7.8)	379 (29.2; 26.7-31.7)	488(44.4 41.5-47.1)	109(41.3; 25.3-47.2)	379(45.5; 42.1-48.8)
Education												
None/primary school	2391(66.0; 64.4-67.5)	1904 (83.1; 81.6-84.6)	487 (36.5; 33.9-39.1)	640 (17.7; 16.4-18.9)	216 (9.4; 8.2-10.6)	424 (31.8; 29.3-34.3)	593 (16.4; 15.2-17.6)	171 (7.5; 6.4-8.5)	422 (31.7; 29.2-34.2)	593(48.1; 45.3-50.9)	171(44.2; 39.2-49.1)	422(49.9; 46.5-53.3)
High/Secondary school	1435(58.4; 56.4-60.3)	1005 (84.4; 82.3-86.4)	430 (33.9; 31.3-36.5)	508 (20.7; 19.1-22.3)	86 (7.2; 5.8-8.7)	422 (33.3; 30.7-35.9)	516 (21.0; 19.4-22.6)	100 (8.4; 6.8-10.0)	416 (32.8; 30.2-35.4)	516(50.4; 47.3-53.5)	100(53.8; 46.6-60.9)	416(49.6; 46.3-53.0)
Trade/College/University	731 (53.0; 50.4-55.6)	378 (75.3; 71.5-79.1)	353 (40.3; 37.0-43.5)	232 (16.8; 14.8-18.8)	40 (8.0; 5.6-10.3)	192 (21.9; 19.2-24.6)	416 (30.2; 27.7-32.6)	84(16.7; 13.5-20.0)	332 (37.9; 34.6-41.1)	416(64.2; 60.5-67.9)	84(67.7; 59.5-76.0)	332(63.4; 59.2-67.5)
Country Income Status												
HIC	317 (37.8; 34.5-41.1)	140 (50.2; 44.3-56.0)	177 (31.7; 27.8-35.5)	131 (15.6; 13.2-18.1)	45 (16.1; 11.8-20.4)	86 (15.4; 12.4-18.4)	390 (46.5; 43.2-49.9)	94 (33.7; 28.1-39.2)	296 (53.0; 48.8-57.1)	390(74.9; 71.1-78.6)	94(67.6; 59.8-75.4)	296(77.5; 73.3-81.7)
UMIC	990 (50.4; 48.2-52.6)	696 (67.6; 64.7-70.4)	294 (31.5; 28.5-34.5)	424 (21.6; 19.8-23.4)	165 (16.0; 13.8-18.3)	259 (27.7; 24.9-30.6)	550 (28.0; 26.0-30.0)	169 (16.4; 14.1-18.7)	381 (40.8; 37.6-43.9)	550(56.5; 53.4-58.6)	169(50.6; 45.2-56.0)	381(59.5; 55.7-63.3)
LMIC	2581(70.9; 69.4-72.4)	2031 (92.7; 91.6-93.7)	550 (38.0; 35.5-40.5)	608 (16.7; 15.5-17.9)	82 (3.7; 2.9-4.5)	526 (36.3; 33.8-38.8)	451 (12.4; 11.3-13.5)	79 (3.6; 2.8-4.4)	372 (25.7; 23.4-25.9)	451(42.6; 39.6-45.6)	79(49.1; 41.3-56.8)	372(41.4; 38.2-44.6)
LIC	683 (65.9; 63.0-78.7)	426 (86.9; 84.0-89.9)	257 (47.0; 42.8-51.2)	219 (21.1; 18.6-23.6)	51 (10.4; 7.7-13.1)	168 (30.7; 26.8-34.6)	135 (13.0; 11.0-15.1)	13 (2.7; 1.2-4.1)	122 (22.3; 18.8-25.8)	135(38.1; 33.1-43.2)	13(20.2; 10.5-30.2)	122(42.1; 36.4-47.8)

Country/ Region												
South Asia	626 (64.8; 61.8-67.8)	376 (87.0; 83.9-90.2)	250 (46.8; 42.6-51.0)	211 (21.8; 18.6-23.6)	47 (10.9; 7.9-13.8)	164 (30.7; 26.8-34.6)	129 (13.4; 11.2-15.5)	9 (2.1; 0.7-5.9)	120 (22.5; 18.9-26.0)	129(37.9; 32.8-43.1)	9(16.1; 6.5-25.7)	120(42.3; 36.5-48.0)
China	2198 (72.3; 70.7-73.0)	1739 (94.5; 93.5-95.6)	459 (38.2; 35.8-47.8)	514 (16.9; 15.6-18.2)	66 (3.6; 2.7-4.4)	448 (37.3; 34.6-40.0)	329 (10.8; 9.7-11.9)	35 (1.9 1.3-6.9)	294 (24.5; 22.0-26.9)	329(39.0; 35.7-42.3)	35(34.7; 25.4-43.9)	294(39.6; 36.1-43.1)
Malaysia	276 (63.0; 58.5-67.5)	169 (92.9 89.1-96.6)	107 (41.8; 35.8-47.8)	75 (17.1; 13.6-20.7)	7 (3.8; 1.1-6.6)	68 (26.6; 21.1-32.0)	87 (19.9; 16.1-23.6)	6 (3.3; 0.7-5.9)	81 (31.6; 25.9-37.3)	87(53.7; 46.0-61.4)	6(46.2; 19.1-73.3)	81(54.4; 46.4-62.4)
Africa	164 (58.2; 52.4-63.9)	135 (68.9; 62.4-75.4)	29 (33.7; 23.7-43.7)	101 (35.8; 30.2-41.4)	53 (27.0; 20.8-33.3)	48 (55.8; 45.3-66.3)	17 (6.0; 3.3-8.8)	8 (4.1; 1.3-6.9)	9 (10.5; 4.0-16.9)	17(14.4; 8.1-20.7)	8(13.1; 4.6-21.6)	9(15.8; 6.3-25.3)
N.America/ Europe	487 (40.1 37.4-42.9)	282 (58.3; 53.9-62.7)	205 (28.1; 24.9-31.4)	214 (17.6; 15.5-19.8)	72 (14.9; 11.7-18.0)	142 (19.5; 16.6-22.4)	512 (42.2; 39.4-45.0)	130 (26.9; 22.9-30.8)	382 (52.4; 48.8-56.0)	512(70.5; 67.2-73.8)	130(64.4; 57.8-71.0)	382(72.9; 69.1-76.7)
Middle East	276 (70.4; 65.9-74.9)	197 (97.5; 95.4-99.7)	79 (41.6; 34.6-48.6)	69 (17.6; 13.8-21.4)	2 (1.0; 0.4-2.4)	67 (35.3; 28.5-42.1)	47 (12.0; 8.8-15.2)	3 (1.5; -0.2-3.2)	44 (23.2; 17.2-29.2)	47(40.5; 31.6-49.5)	3(60.0; 17.1-103)	44(39.6; 30.5-48.7)
S.America	544 (47.4; 44.5-50.3)	395 (60.3; 56.6-64.1)	149 (30.3; 26.2-34.3)	198 (17.3; 15.1-19.4)	96 (14.7; 11.9-17.4)	102 (20.7; 17.1-24.3)	405 (35.3; 32.5-38.1)	164 (25.0; 21.7-28.4)	241 (49.0; 44.6-43.4)	405(67.2; 63.4-70.9)	164(63.1; 57.2-68.9)	241(70.3; 65.4-75.1)

*Unadjusted.