

Supplementary Online Content

Yonkers KA, Smith MV, Forray A, et al. Pregnant women with posttraumatic stress disorder and risk of preterm birth. *JAMA Psychiatry*. Published online June 11, 2014. doi:10.1001/jamapsychiatry.2014.558.

eTable. Participant Characteristics by Current PTSD Diagnosis

This supplementary material has been provided by the authors to give readers additional information about their work.

eTable. Participant Characteristics by Current PTSD Diagnosis

Characteristic	PTSD (N=129)	No PTSD (N=2525)	Unadjusted OR	95% CI	P value
Age (years)					<.0001
Mean	28.6	31.1	0.93	0.90- 0.96	
Interquartile range	23.7-33.2	27.5- 35.4			
Race, # (%)					<.0001
White	75 (58)	1882 (74)	1.00		
Black	25 (19)	170 (7)	3.69	2.29- 5.96	
Hispanic	25 (19)	358 (14)	1.75	1.10- 2.79	
Other	4 (4)	115 (5)	0.87	0.31- 2.43	
Education, # (%)					<.0001

< High School	20 (15)	152 (6)	5.85	3.28- 10.45	
High School	35 (27)	347 (14)	4.49	2.75- 7.32	
Some College	41 (32)	558 (22)	3.27	2.05- 5.22	
College Graduate	33 (26)	1468 (58)	1.00		
Marital Status, # (%)					<.0001
Married	59 (46)	1830 (72)	1.00		
Living with partner	34 (26)	391 (15)	2.70	1.74- 4.17	
Divorced/separated/widowed	5 (4)	60 (2)	2.59	1.00- 6.67	
Never married	31 (24)	244 (10)	3.94	2.50- 6.21	
Heavy Alcohol, # (%)	2 (1)	22 (1)	1.79	0.42- 7.70	.04
Illegal Drug Use, # (%)	28 (22)	18 (7)	3.59	2.30- 5.60	<.0001
Cigarette Use, # (%)	43 (33)	346 (14)	3.15	2.15- 4.62	<.0001

SRI in pregnancy, # (%)	21 (16)	272 (11)	1.61	0.99- 2.61	.05
Benzodiazepine use in pregnancy, # (%)	8 (6)	59 (2)	2.76	1.29- 5.91	.006
MDD in pregnancy, # (%)	51 (40)	171 (7)	9.00	6.12- 13.24	<.0001
GAD in pregnancy, # (%)	57 (44)	195 (8)	9.46	6.49- 13.79	<.0001
Panic disorder in pregnancy, # (%)	23 (18)	75 (3)	7.09	4.27- 11.76	
Number of previous live births, # (%)					<.001
0	53 (41)	1087 (43)	1.00		
1	32 (25)	922 (37)	0.71	0.46- 1.11	
2+	44 (34)	516 (20)	1.75	1.16- 2.64	
Current pregnancy planned, # (%)	47 (36)	1617 (64)	0.32	0.22- 0.46	<.0001